



Torbay Pharmaceuticals

Built by the NHS. Supplying the World.

Product List 2019

| Analgesia | | | | | | | |
|---|-----------------|--------------|-----|--------------|-----------|-------------|--|
| Product | Strength | Product Code | Key | Presentation | Pack size | Shelf life* | |
| Alfentanil Sterile Nasal / Oromucosal Spray Solution | 5 mg in 5 mL | W8657C | | Bottle | 1 x 5mL | 12 months | |
| Codeine Phosphate 60 mg in 1 mL Solution for Injection | 60 mg in 1 mL | Y1285A | | Ampoule | 10 x 1mL | 3 Years | |
| Ketamine 5% w/v Sterile Nasal Spray, Solution | 250 mg in 5 mL | W1470C | | Bottle | 1 x 5mL | 12 months | |
| Morphine Sulfate 1 mg in 1 mL Solution for Injection | 1 mg in 1 mL | Y0250A | | Ampoule | 10 x 1mL | 2 Years | |
| Morphine Sulfate 1 mg in 1 mL Solution for Injection | 5 mg in 5 mL | Y8801A | | Ampoule | 10 x 5mL | 2 Years | |
| Morphine Sulfate 1 mg in 1 mL Solution for Injection | 10 mg in 10 mL | Y4894A | | Ampoule | 10 x 10mL | 2 Years | |
| Morphine Sulfate 1 mg in 1 mL Solution for Injection | 50 mg in 50 mL | X0190A | | Vial | 10 x 50mL | 2 Years | |
| Morphine Sulfate 2 mg in 1 mL Solution for Injection | 100 mg in 50 mL | X3713A | | Vial | 10 x 50mL | 2 Years | |
| Morphine Sulfate 200 µg in 1 mL Solution for Injection | 2 mg in 10 mL | Y7291C | | Ampoule | 10 x 10mL | 18 months | |
| Morphine Sulfate 30 mg in 1 mL Concentrate for Solution for Injection/Infusion | 300 mg in 10 mL | Y0534C | | Ampoule | 10 x 10mL | 2 Years | |
| Morphine Sulfate 40 mg in 1 mL Concentrate for Solution for Injection or Infusion | 40 mg in 1 mL | Y5807C | | Ampoule | 10 x 1mL | 2 Years | |

| Anaesthesia | | | | | | | |
|--|---|--------------|-----|--------------|-----------|-------------|--|
| Product | Strength | Product Code | Key | Presentation | Pack size | Shelf life* | |
| Bupivacaine and Fentanyl 0.1% w/v / 2 µg/mL Solution for Injection | 10 mg in 10 mL 20 µg in 10 mL | Y1301C | | Ampoule | 10 x 10mL | 2 Years | |
| Bupivacaine and Adrenaline (Epinephrine) Solution for Injection 0.25% w/v 1:200,000 in 10 mL | 25 mg in 10 mL 50 µg in 10 mL | Y3982C | | Ampoule | 10 x 10mL | 18 Months | |
| Bupivacaine and Adrenaline (Epinephrine) Solution for Injection 0.5% w/v 1:200,000 in 10 mL | 50 mg in 10 mL 50 µg in 10 mL | Y4758C | | Ampoule | 10 x 10mL | 18 Months | |
| Cocaine 4% w/v Unpreserved Eye Drop | 160mg in 4mL | W5620C | | Bottle | 1 x 4mL | 2 Years | |
| Cocaine and Adrenaline (Epinephrine) 5% w/v / 1:2000 Sterile Gel 3 mL | 150 mg in 3 mL 1.5 mg in 3 mL | W6308C | | Bottle | 10 x 3mL | 1 Year | |
| Cocaine Hydrochloride 5%w/v Nasal Spray, Solution | 100 mg in 2 mL | W1213C | | Bottle | 1 x 2mL | 2 Years | |
| Cocaine Hydrochloride 10% w/v Nasal Spray, Solution | 200 mg in 2 mL | W8882C | | Bottle | 1 x 2mL | 2 Years | |
| Cocaine 10% w/v Nasal/Oromucosal Solution | 500 mg in 5 mL | W7306C | | Bottle | 10 x 5mL | 2 Years | |
| Ketamine 5% w/v Sterile Nasal Spray, Solution | 250 mg in 5 mL | W1470C | | Bottle | 1 x 5mL | 1 Year | |
| Lidocaine and Adrenaline (Epinephrine) 0.5% w/v 1:200,000 Solution for Injection | 50 mg in 50 µg in 10 mL | Y8709C | | Ampoule | 10 x 10mL | 2 Years | |
| Lidocaine and Adrenaline (Epinephrine) 1% w/v/1:200,000 Solution for Injection | 100 mg in 10 mL 50 µg in 10 mL | Y0482C | | Ampoule | 10 x 10mL | 2 Years | |
| Lidocaine and Adrenaline (Epinephrine) 2% w/v 1:200,000 Solution for Injection | 200 mg in 10 mL 50 µg in 10 mL | Y4177C | | Ampoule | 10 x 10mL | 2 Years | |
| Lidocaine 4% w/v Cutaneous Solution | 1.2 g in 30 mL | W5886C | | Bottle | 10 x 30mL | 2 Years | |
| Lidocaine, Adrenaline (Epinephrine) and Tetracaine (LAT) 4% w/v, 1:1000, 0.5% w/v Sterile Gel 3 mL | 120 mg in 3 mL, 3 mg in 3 mL & 15 mg in 3 mL | W4588C | | Bottle | 10 x 3mL | 1 Year | |
| Prilocaine 0.5% w/v Solution for Injection | 100 mg in 20 mL | X9551C | | Vial | 10 x 20mL | 2 Years | |

| Cardiovascular System | | | | | | | |
|--|----------------|--------------|-----|--------------|-----------|-------------|--|
| Product | Strength | Product Code | Key | Presentation | Pack size | Shelf life* | |
| Dilute Adrenaline (Epinephrine) 1:10 000 Solution for Injection | 1 mg in 10 mL | Y9445C | | Ampoule | 10 x 10mL | 2 Years | |
| Isoprenaline HCl 95 µg in 10 ml Solution for Injection or Infusion | 95 µg in 10 mL | Y9903C | | Ampoule | 10 x 10mL | 30 Months | |
| Isoprenaline HCl 2 mg in 2 ml Concentrate for Injection / Infusion | 2 mg in 2 mL | Y5037C | | Ampoule | 10 x 2mL | 30 Months | |
| Isosorbide Dinitrate 0.05% w/v Solution for Injection or Infusion | 25 mg in 50 mL | X3670A | | Vial | 10 x 50mL | 2 Years | |
| Isosorbide Dinitrate 0.1% w/v Concentrate for Solution for Injection or Infusion | 10 mg in 10 mL | Y7489A | | Ampoule | 10 x 10mL | 2 Years | |
| Isosorbide Dinitrate 0.1% w/v Concentrate for Solution for Injection or infusion | 50 mg in 50 mL | X3318A | | Vial | 10 x 50mL | 2 Years | |
| Metaraminol 10 mg/mL Solution for Injection or Infusion | 10 mg in 1 mL | Y9836A | | Ampoule | 10 x 1mL | 2 Years | |
| Metaraminol 0.5 mg/mL Solution for Injection | 2.5 mg in 5 mL | Y2864A | | Ampoule | 10 x 5mL | 2 Years | |
| Metaraminol 0.5 mg/mL Solution for Injection | 5 mg in 10 mL | Y1642A | | Ampoule | 10 x 10mL | 2 Years | |
| Papaverine 30 mg / mL Solution for Injection | 60 mg in 2 mL | Y9234C | | Ampoule | 10 x 2mL | 2 Years | |

Central Nervous System

| Product | Strength | Product Code | Key | Presentation | Pack size | Shelf life* |
|--|----------|--------------|-----|--------------|------------|-------------|
| Artificial Cerebrospinal Fluid Part 1: (Hospital Electrolyte Formula) | | W0223C | | Bottle | 10 x 500mL | 6 months |
| Artificial Cerebrospinal Fluid Part 2: Solution for addition to ACSF Part 1 | | Y7173C | | Ampoule | 10 x 5mL | 2 Years |

Nutrition and Blood

| Product | Strength | Product Code | Key | Presentation | Pack size | Shelf life* |
|---|---------------------------------|--------------|-----|--------------|-------------|-------------|
| Ascorbic Acid 500 mg in 5 mL Solution for Injection or Infusion | 500 mg in 5 mL | Y6161C | | Ampoule | 10 x 5mL | 1 Year |
| Ascorbic Acid 1 g in 10 mL Solution for Injection or Infusion | 1 g in 10 mL | Y7941C | | Ampoule | 10 x 10mL | 1 Year |
| Ascorbic Acid 5 g in 50 mL Solution for Injection or Infusion | 5 g in 50 mL | X3027C | | Vial | 10 x 50mL | 1 Year |
| Calcium chloride 14.7% w/v Solution for Injection or Infusion | 7.35 g in 50 mL | X1405C | | Vial | 10 x 50mL | 3 Years |
| Calcium chloride 14.7% w/v Solution for Injection or Infusion | 14.7 g in 100 mL | X6033C | | Vial | 10 x 100mL | 3 Years |
| Calcium chloride 14.7% w/v Solution for Injection or Infusion | 73.5 g in 500 mL | W7641C | | Bottle | 10 x 500mL | 3 Years |
| Calcium Gluconate 10% w/v Solution for Injection / Infusion | 454 mg Calcium in 50 mL | X3490C | | Plastic Vial | 10 x 50mL | 18 Months |
| Calcium Gluconate 10% w/v Solution for Injection or Infusion | 908 mg calcium in 100 mL | X4382C | | Plastic Vial | 10 x 100mL | 18 Months |
| Copper Sulfate 5 mg in 5 mL Concentrate for Solution for Infusion | 5 mg in 5 mL | Y8165C | | Ampoule | 10 x 5mL | 3 Years |
| Copper Sulfate 1 mg in 1 mL Concentrate for Solution for Infusion | 50 mg in 50 mL | X2421C | | Vial | 10 x 50mL | 3 Years |
| Folic Acid 15 mg in 1 mL Solution for Injection or Infusion | 15 mg in 1 mL | Y1232C | | Ampoule | 10 x 1mL | 18 Months |
| Iron Chloride 1.79 µmol per mL Concentrate for Solution for Infusion | 24.21 mg in 50 mL | X9148C | | Vial | 10 x 50mL | 2 Years |
| Magnesium Sulfate 10%w/v solution for injection or infusion | 5g in 50mL | X3858C | | Vial | 10 x 50mL | 3 Years |
| Magnesium Sulfate 20% w/v Solution for Injection / Infusion | 4 g in 20 mL 16 mmol in 20mL | X5816C | | Vial | 10 x 20mL | 3 Years |
| Magnesium Sulfate 20% w/v Solution for Injection / Infusion | 10g in 50mL 40mmol in 50mL | X9111C | | Vial | 10 x 50mL | 3 Years |
| Magnesium Sulfate 50% w/v Solution for Injection or Infusion | 1 g in 2 mL | Y4019A | | Ampoule | 10 x 2mL | 3 Years |
| Magnesium Sulfate 50% w/v Solution for Injection or Infusion | 2.5 g in 5 mL | Y7523A | | Ampoule | 10 x 5mL | 3 Years |
| Magnesium Sulfate 50% w/v Solution for Injection or Infusion | 5 g in 10 mL | Y2651A | | Ampoule | 10 x 10mL | 3 Years |
| Magnesium Sulfate 50% w/v Solution for Injection or Infusion | 10 g in 20 mL | X4003A | | Vial | 10 x 20mL | 3 Years |
| Magnesium Sulfate 50% w/v Solution for Injection or Infusion | 25 g in 50 mL | X8296A | | Vial | 10 x 50mL | 3 Years |
| Magnesium Sulfate 50% w/v Solution for Injection or Infusion | 50 g in 100 mL | X3401A | | Vial | 10 x 100mL | 3 Years |
| Potassium Acetate 19.63%w/v Concentrate for Solution for Infusion | 1.963 g in 10 mL | Y3724C | | Ampoule | 10 x 10mL | 3 Years |
| Potassium Acetate 49% w/v Concentrate for Solution for Infusion | 4.9 g in 10 mL | X5187C | | Vial | 10 x 10mL | 3 Years |
| Potassium Acetate 49% w/v Concentrate for Solution for Infusion | 49 g in 100 mL | X2316C | | Vial | 10 x 100mL | 3 Years |
| Potassium Chloride 3.75% w/v Concentrate for Solution for Infusion | 1.875 g in 50 mL | X8613C | | Vial | 10 x 50mL | 3 Years |
| Potassium Chloride 7.5% w/v Concentrate for Solution for Infusion | 75 g in 1 Litre | W7004C | | Bottle | 6 x 1 litre | 3 Years |
| Potassium Chloride 15% w/v Concentrate for Solution for Infusion | 7.5 g in 50 mL | X5690C | | Vial | 10 x 50mL | 3 Years |
| Potassium Chloride 15% w/v Concentrate for Solution for Infusion | 15 g in 100 mL | X4071C | | Vial | 10 x 100mL | 3 Years |
| Potassium Chloride 15% w/v Concentrate for Solution for Infusion | 75 g in 500 mL | W1787C | | Bottle | 10 x 500mL | 3 Years |
| Potassium Chloride 15% w/v Concentrate for Solution for Infusion | 150 g in 1 Litre | W2268C | | Bottle | 6 x 1 litre | 3 Years |
| Potassium Dihydrogen Phosphate 13.6% w/v Concentrate for Solution for Infusion | 6.8 g in 50 mL | X7521C | | Vial | 10 x 50mL | 3 Years |
| Dipotassium Phosphate 17.42%w/v Concentrate for Solution for Infusion | 1.742 g in 10 mL | Y1544C | | Ampoule | 10 x 10mL | 3 Years |
| Pyridoxine Hydrochloride 50 mg in 1 mL Solution for Injection or infusion | 50 mg in 1 mL | Y8736C | | Ampoule | 10 x 1mL | 2 Years |
| Sodium Acetate 30% w/v Concentrate for Solution for Infusion | 1.5 g in 5 mL | Y8247C | | Ampoule | 10 x 5mL | 3 Years |
| Sodium Acetate 30% w/v Concentrate for Solution for Infusion | 15 g in 50 mL | X1555C | | Vial | 10 x 50mL | 3 Years |
| Sodium Acetate 30% w/v Concentrate for Solution for Infusion | 30 g in 100 mL | X9780C | | Vial | 10 x 100mL | 3 Years |
| Sodium Bicarbonate 4.2% w/v Solution for Injection or Infusion | 210 mg in 5 mL | Y3023C | | Ampoule | 10 x 5mL | 2 Years |
| Sodium Chloride 30% w/v Sterile Oral Solution | 3 g in 10 mL | W8191C | | Bottle | 10 x 10mL | 3 Years |
| Sodium Chloride 0.9% w/v Solution for Injection /Infusion | 0.9g in 100 mL | X6993C | | Vial | 10 x 100mL | 3 Years |
| Sodium Chloride 30% w/v Concentrate for Solution for Infusion | 3 g in 10 mL | Y1977A | | Ampoule | 10 x 10mL | 3 Years |
| Sodium Chloride 30% w/v Concentrate for Solution for Infusion | 15 g in 50 mL | X2089A | | Vial | 10 x 50mL | 3 Years |
| Sodium Chloride 30% w/v Concentrate for Solution for Infusion | 30 g in 100 mL | X8844A | | Vial | 10 x 100mL | 3 Years |
| Sodium Chloride 30% w/v Concentrate for Solution for Infusion | 150g in 500mL | W4784C | | Bottle | 10 x 500mL | 3 Years |

Nutrition and Blood (Continued)

| Product | Strength | Product Code | Key | Presentation | Pack size | Shelf life* |
|--|-------------------|--------------|-----|--------------|-------------|-------------|
| Sodium Chloride 30% w/v Concentrate for Solution for Infusion | 300 g in 1 Litre | W0710C | | Bottle | 6 x 1 litre | 3 Years |
| Sodium Chloride 29.2%w/v Sterile Oral Solution | 29.2g in 100mL | W6172C | | Bottle | 10 x 100mL | 3 Years |
| Sodium Glycerophosphate 21.6% w/v Concentrate for Solution for Infusion | 2.16 g in 10 mL | Y8692C | | Ampoule | 10 x 10mL | 2 Years |
| Sodium Glycerophosphate 21.6% w/v Concentrate for Solution for Infusion | 10.8 g in 50 mL | X1690C | | Vial | 10 x 50mL | 2 Years |
| Sodium Glycerophosphate 21.6% w/v Concentrate for Solution for Infusion | 108 g in 500 mL | W2229C | | Bottle | 10 x 500mL | 2 Years |
| Sodium Phosphate 17.9% w/v Sterile Oral Solution | 1.79 g in 10 mL | W5002C | | Bottle | 10 x 10mL | 3 Years |
| Disodium Hydrogen Phosphate 21.49%w/v Concentrate for Solution for Infusion | 2.149 g in 10 mL | Y4922C | | Ampoule | 10 x 10mL | 3 Years |
| Sodium Selenite 0.2 µmol/mL Concentrate for Solution for Infusion | 4 µmol in 20 mL | X1896C | | Vial | 10 x 20mL | 2 Years |
| Sodium Selenite 0.2 µmol/mL Concentrate for Solution for Infusion | 20 µmol in 100 mL | X0517C | | Vial | 10 x 100mL | 2 Years |
| Zinc Sulfate 100 micromol/mL Concentrate for Solution for Infusion | 288 mg in 10 mL | X3139C | | Vial | 10 x 10mL | 3 Years |
| Zinc Sulfate 50 µmol/mL Concentrate for Solution for Infusion | 144 mg in 10 mL | X1632C | | Vial | 10 x 10mL | 3 Years |
| Zinc Sulfate 50 µmol/ml Concentrate for Solution for Infusion | 720 mg in 50 mL | X6807C | | Vial | 10 x 50mL | 3 Years |

Obstetrics, Gynaecology and Urinary Tract

| Product | Strength | Product Code | Key | Presentation | Pack size | Shelf life* |
|--|-------------------|--------------|-----|--------------|------------|-------------|
| Acetic acid 5% v/v Sterile Solution | 5 mL in 100 mL | W1984C | | Bottle | 10 x 100mL | 2 Years |
| Oxybutynin Hydrochloride 5 mg in 15 mL Bladder Instillation | 11.65 mg in 35 mL | W1053C | | Vial | 10 x 35mL | 3 Years |
| Oxybutynin Hydrochloride 5 mg in 30 mL Bladder Instillation | 5.83 mg in 35 mL | W9988C | | Vial | 10 x 35mL | 3 Years |
| Papaverine 30 mg / mL Solution for Injection | 60 mg in 2 mL | Y9234C | | Ampoule | 10 x 2mL | 2 Years |


Ophthalmology

| Product | Strength | Product Code | Key | Presentation | Pack size | Shelf life* |
|---|-----------------|--------------|-----|--------------|-----------|-------------|
| Ethanol 18%v/v Eye Drop, Solution 10 mL | 1.8 mL in 10 mL | W1884C | | Bottle | 1 x 10mL | 3 Years |
| EYE DROPPER | | U5134G | | | Each | 4 Years |
| Sterile Eye Drop Bottles with Cap 10 mL | | U8702H | | Bottle | 10 x 10mL | 5 Years |
| Hydroxymethylcellulose 0.3% w/v Eye Drops, Solution | 30 mg in 10 mL | W4293C | | Bottle | 1 x 10mL | 2 Years |
| HPMC 2% w/v in Balanced Salt Solution | 100 mg in 5 mL | X2251G | | Vial | 5 x 5mL | 2 Years |
| Prednisolone Sodium Phosphate 1% w/v Eye Drops, Solution Preservative free | 100mg in 10mL | W8338C | | Bottle | 1 x 10mL | 2 Years |

Other

| Product | Strength | Product Code | Key | Presentation | Pack size | Shelf life* |
|---|---------------------------------|--------------|-----|--------------|------------|-------------|
| Alcohol (Ethanol) 20% w/v Solution for Injection or Infusion | 2 mL Absolute Ethanol in 10 mL | X1202C | | Vial | 10 x 20mL | 3 Years |
| Alcohol (Ethanol) 90% w/v Solution for Injection / Infusion | 18 mL Absolute Ethanol in 20 mL | X1924C | | Vial | 10 x 20mL | 3 Years |
| Sterile Glycerol 95% w/v Solution | 95%v/v | W6062G | | Bottle | 10 x 30mL | 2 Years |
| Sterile Light Liquid Paraffin | | W8008G | | Bottle | 10 x 25mL | 2 Years |
| Nasal/Buccal Spray Pumps 0.14 ml | | U4370H | | | Each | 5 Years |
| Sclerosing Solution for Injection | | X6026C | | Vial | 10 x 10mL | 2 Years |
| Sodium Bicarbonate 8.4% w/v Diluent | 8.4 g in 100mL | W2848C | | Bottle | 10 x 100mL | 2 Years |

Key

| | | | |
|--|-------------------|---|---|
|  | Controlled |  | Non medical product |
|  | Licensed Products |  | Unlicensed |
|  | CE marked device |  | Contains Antimicrobial Preservative / Antioxidant |

* Please note that shelf life is from date of manufacture.

Next Day Delivery Available

All of our products are free of Antimicrobial Preservatives / Antioxidants unless stated.

We currently handle the following Active Substances at Torbay Pharmaceuticals. Should you require a specific formulation of any of these in the following presentations we would be happy to discuss with you. Ampoules 1-10 mLs; Vials 10-100 mLs; Large Volume Parenterals 500 and 1,000 mLs.

Adrenaline Acid Tartrate (Epinephrine Acid Tartrate)
Alfentanil Hydrochloride
Arginine Hydrochloride
Ascorbic Acid
Bupivacaine Hydrochloride
Calcium Chloride Dihydrate API grade
Calcium Gluconate for Injection
Cocaine Hydrochloride
Codeine Phosphate
Copper Sulfate Pentahydrate
diPotassium Hydrogen Phosphate (anhydrous)
diSodium Hydrogen Phosphate Dodecahydrate
Ethanol (Absolute Alcohol)
Fentanyl Citrate
Ferric Chloride Hexahydrate (Iron(III)chloride hexahydrate)
Glacial Acetic Acid
Glucose Monohydrate
Glycerol (Glycerol anhydrous, Glycerin)
Hydrated Sodium Glycerophosphate
Hypromellose (HPMC, Hydroxypropylmethylcellulose)
Isoprenaline Hydrochloride
Isosorbide Dinitrate
Ketamine Hydrochloride
Lidocaine Hydrochloride
Magnesium Chloride Hexahydrate

Magnesium Sulfate Heptahydrate
Metaraminol Tartrate
Morphine Sulfate
Oxybutynin Hydrochloride
Papaverine Hydrochloride
Pethidine Hydrochloride
Phenol
Potassium Acetate
Potassium Chloride
Potassium DiHydrogen Phosphate
Prednisolone Sodium Phosphate
Prilocaine Hydrochloride
Pyridoxine Hydrochloride
Sodium Acetate Trihydrate
Sodium Benzoate
Sodium Bicarbonate (Sodium Hydrogen Carbonate)
Sodium Butyrate
Sodium Chloride
Sodium diHydrogen Phosphate dihydrate
Sodium Nitrite
Sodium Selenite anhydrous
Tetracaine Hydrochloride
Zinc Sulfate heptahydrate

**Please contact our dedicated
Customer Services Team**

T: +44 (0) 1803 664707

E: torbaypharmaceuticals@nhs.net

www.torbaypharmaceuticals.nhs.uk